Material Safety Data Sheet

Section 1.	CHEMICAL PRODUCT and COMPANY IDENTIFICATION	

Section 2.	HAZARDOUS IDENTIFICATION
Emergency telephone:	INFOTRAC: (01) 800.535.5053 (day or night)
Manufacturer:	ACL Incorporated 1960 E. Devon Avenue Elk Grove Village, IL 60007 PH: (01) 847.981.9212 [U.S.A.] FAX: (01) 847.981.9278 [U.S.A.]
Product Number Recommend use:	: # 6001, 6002 Cleaner for anti-static mats and furniture
<i>Identification:</i> Product Name:	Mat & Table Top Cleaner

NFPA HAZARD RATING: (0) Fire (1) Health (0) Reactivity

Emergency Overview: May cause skin/eye irritation. May be harmful if swallowed. Potential Health Effects:

Inhalation: No observable effects of overexposure. **Eves:** Mild irritation.

Skin: Mild irritation.

Ingestion: Nausea and diarrhea are possible.

Section 3. COMPOSITION / INFORMATION ON INGREDIENTS				
C.A.S. Number	EINECS	Weight %		
7732-18-5	231-791-2	93 - 98		
68584-23-6	271-529-44	1 - 2		
68071-95-4		< 1		
111-42-2	203-868-0	< 1		
66455-15-05		< 1		
1310-73-2	215-185-5	<< 1		
67-63-0	200-661-0	<< 1		
	C.A.S. Number 7732-18-5 68584-23-6 68071-95-4 111-42-2 66455-15-05 1310-73-2	C.A.S. NumberEINECS7732-18-5231-791-268584-23-6271-529-4468071-95-4111-42-2111-42-2203-868-066455-15-051310-73-2215-185-5		

Section 4 FIRST AID MEASURES

Eye Contact: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists. **Skin Contact**: Wash with soap and water. Get medical attention if irritation develops or persists. **Ingestion**: If swallowed, do not induce vomiting. If conscious and alert, give two glasses of water. Seek medical attention.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Section 5

FIRE FIGHTING MEASURES

Flash Point & Method: None

Extinguishing Media: water, foam, dry chemical & carbon dioxide

Fire Fighting Equipment: As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

Hazardous Combustion Products: Smoke, fumes and oxides of carbon.

Section 6 ACCIDENTAL RELEASE MEASURES

Avoid runoff into storm sewers and ditches which lead to waterways. Absorb the liquid and scrub the area with detergent and water.

Section 7 HANDLING AND STORAGE

Handling: Wash thoroughly after handling. Use only in a well ventilated area. Store in a cool dry place. Storage Temperatures: Store in a cool place in original container and protect from sunlight. Storage Pressure: Store at local atmospheric pressure.

General: Observe good housekeeping practices. Follow all MSD sheet and label warnings even after container is emptied.

This product has a shelf life of three years from the date of manufacturing.

Section 8 EXPOSURE CONTROL / PERSONAL PROTECTION

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200)						
		Exposure Limits				
		OSHA PEL ACGIH TLV		IH TLV		
Chemical Name		ppm	Mg/m ³	ppm	Mg/m ³	
2 Propanal	TWA	400 ppm	980 Mg/m ³	400 ppm	983 Mg/m ³	
2- Propanol	STEL	500 ppm	1225 Mg/m ³	500 ppm	1230 Mg/m^3	
Sodium hydroxide	TWA	NE	NE	NE	NE	
Sourum nyuroxide	STEL	NE	NE	NE	NE	
Ethanol, 2, 2'-iminobis-	TWA	NE	NE	NE	NE	
Emanor, $2, 2$ -minioors-	STEL	NE	NE	NE	NE	

Engineering Controls: Local Exhaust ventilation acceptable

Personal Protection:

Respirator If concentrations are over the exposure limit and are known, air purifying respirator with Organic Vapor Cartridges may be acceptable. Refer to cartridges for acceptable levels. If concentrations are over exposure limits and are unknown, use a supplied air respirator.

Hand Protection Gloves Recommended: Solvex, neoprene, viton, butyl, buna, natural latex acceptable.

Eye Protection: For normal conditions, may use without safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.

Section 9

PHYSICAL AND CHEMICAL PROPERTIES

pH.....neutral Freezing Point.....0°C / 32°F Physical State.....Liquid Odor....Pleasant Soapy Odor Boiling Point......100°C / 212°F Solubility in Water.....100 Non-Exempt VOC (g/L).....< 3 Appearance:Clear blue liquid

Section 10

STABILITY AND REACTIVITY

General: Stable. Polymerization will not occur.

Incompatible Materials and Conditions to Avoid: May decompose if heated. **Hazardous Decomposition:** Forced combustion yields carbon and silicone oxides.

Section 11

TOXICOLOGY INFORMATION

Human Experience: OSHA / NTP / DHHS - This product contains residuals of ethylene oxide which is a known carcinogen listed on the 11th Report on Carcinogens (RoC) and NIOSH carcinogen list.

LD₅₀ Rabbit (dermal) 12,800 mg/kg (Isopropanol)

LD₅₀ Rat (inhalation) 16,000 ppm: 8 hours (Isopropanol)

LD₅₀ Rabbit (oral) 6410 mg/kg (Isopropanol)

Section 12 ECOLOGICAL INFORMATION

Isopropyl alcohol has a high biochemical oxygen demand and a potential to cause oxygen depletion in aqueous systems, a low potential to affect aquatic organisms, a low potential to affect secondary waste treatment microbial metabolism, a low potential to affect the microorganisms from activated sludge.

Section 13 DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 Classifications:

As packaged and after use, it does not meet the criteria of a hazardous waste as defied under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it has neither the characteristics of Subpart C nor is listed in Subpart D.

Federal, State, and Local laws governing disposal of material can differ. Ensure proper disposal compliance with proper authorities before disposal.

Section 14 TRANSPORTATION INFORMATION

U.S. DOT Information Proper Shipping Name: Non Hazardous Material Hazard Class: NA

IATA

Proper Shipping Name: NON HAZARDOUS MATERIAL Hazard Class: NA

Section 15

REGULATORY INFORMATION

United States Federal Regulations: MSDS complies with the OSHA Hazard Communication Rule, 29 CFR 1910.1200.

CERCLA/Superfund, 40 CFR 117.302: Residual ethylene oxide, RQ 10 Ethanol, 2,2'-iminobis-, RQ 100

SARA Superfund and Reauthorization Act of 1986 Title III sections 302, 311,312 and 313: Section 302 – Extremely hazardous substances (40 CFR 355): None of the chemicals are Section 302 hazards

Section 311/312 – Material Safety Data Sheet Requirements (40 CFR 370): By our hazard evaluation, this product is non-hazardous.

Section 313 – List of Toxic Chemicals (40CFC 372): This product does not contain chemicals (at level of 1% or greater) found on the 313 list of Toxic Chemicals.

Toxic Substance Control Act (TSCA): All substances are TSCA listed.

Resource Conservation and Recovery Act (RCRA 40 CFR 261) Subpart C & D: Refer to Section 13 for RCRA classification.

Federal Water Pollution Control Act, Clean Water Act, 40 CFR 401.15 (formerly section 307) 40 CFR 116 (formerly section 311), Clean Air Act: Clean Air Act: Ethanol, 2,2'-iminobis- (CAS 111-42-2) < 1%

STATE REGULATIONS:

California Proposition 65: This product contains a residual component (ethylene oxide, CAS# 75-21-8) known in the state of California to cause cancer.

INTERNATIONAL REGULATIONS:

Canada WHMIS: This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

Sections 16 OTHER INFORMATION

LABEL INFORMATION:

For Shipping Label information refer to section 14 Product label warnings are as follows (Comparable CHIP Safety & Risk phrases are noted):

• Keep out of the reach of children (S2)

REVISION DATES, SECTIONS, REVISED BY:

16-OCT-95,	Updated Section 2, B. Riffel
26-FEB-97,	Updated Section 9, B. Riffel
18-SEP-98,	Updated Section 4, B. Riffel
02-APR-01,	Reviewed
07-MAY-02	Updated Sections 2, 10, & 13 MKB
29-MAY-02	Updated Section 16 MKB
04-MAY-04	New Format, updated sections 2, 9 & 15 mkb
07-MAR-07	Updated sections, 5, 11, 15 mkb
14- MAY-08	Updated section 7, mkb
04-MAR -09	Updated and reviewed all sections, mkb

ABBREVIATIONS USED IN THIS DOCUMENT:

NE – Not Established, NA – Not Applicable, NIF – No Information Found

ABRIDGED LIST OF REFERENCES:

Code of Federal Regulations (CFR) The Sigma-Aldrich Library of Regulatory and Safety Data Chemical Guide and OSHA Hazardous Communication Standard The Environmental Protection Agency (<u>www.epa.gov</u>) ANSI Standard: ANSI Z400.1-1998 Merck Index

To the best of our knowledge, the information contained herein is accurate. **However, neither ACL STATICIDE nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.** Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.